Ketchie-Houston, Inc.

Manufacturers of Bearing & Power Transmission Specialties

PRODUCT GUIDE



Heavy Duty Mounted Units • Standard Duty Mounted Units
Medium Duty Mounted Units • Special Application Units
External Self Aligning Ring Bearings
Replacement Insert Bearings • Machine Units



To Our Valued Customers:

We are pleased to provide you with the **New Ketchie-Houston Product Guide** to mounted bearing units, external aligning ring bearings, replacement inserts and machine units.

Since the mid 1940's, Ketchie-Houston has been manufacturing and supplying industry with standard and special mounted bearing units, custom spur gears, sprockets and timing belt pulleys.

Most customers associate our company with special application units and items "discontinued" by Fafnir over the years. While this is certainly a viable part of our business, we started introducing in early 1989 a number of new product lines designed to fill the supply voids left by major manufacturers of housed bearing units.

Today, Ketchie-Houston offers the following bearing products:

- · Heavy Duty Mounted Units,
- · Standard Duty Mounted Units
- Medium Duty Mounted Units available late 1994
- Special Application Units
- External Aligning Ring Bearings Radial and Wide Inner
- Replacement Inserts
- Machine Units

We know you will find our new product guide a useful tool in helping you service your customer. We encourage you to take the time to review the many bearing products now available from Ketchie-Houston. Should you have requirements for bearing products not listed please contact our staff.

Sincerely,

Ed Ketchie President, Ketchie-Houston, Inc.

HEAVY DUTY MOUNTED UNITS

SINGLE PILLOW BLOCKS







Series	Features
KH-2300 thru KH-2308 (1)	Low Base to Center*
KH-2320 thru KH-2331 (1)	High Base to Center
KH-4703 thru KH-4713	Low Base to Center*
KH-3052 thru KH-3070	High Base to Center**
KH-4052 thru KH-4065	Clarage Fan Unit*
KH-2225 thru KH-2233	Fixed and Float
KH-2265 thru KH-2279	Universal Style
* Name of the bright temperature made to	- National

RAO, LAO RSAO, LSAO, P2-300 P300 SAO, SAOD, SAODD RSAOC, LSAOC SAOFN, SAOLN SAOL

Replaces

Sizes Available 1 3/16 - 2 15/16 1 3/16 - 3 15/16 1 7/16 - 3 15/16 15/16 - 4 15/18 1 3/16 - 3 7/16 1 3/16 - 3 3/16 1 3/16 - 3 15/16

DOUBLE PILLOW BLOCKS

Series Features KH-3100 thru KH-3112

Double Bearing Unit*

* DSAODD units have 2 dust seal collars



Sizes Available

1-37/16



FLANGE UNITS

Series **Features** KH-2100 thru KH-2110 (1) Four Bolt Flange*

* Normal or High Temperature Seal Available

Replaces RCJO, LCJO Sizes Available 1 3/16 - 3 15/16

CYLINDRICAL CARTRIDGES

Series KH-3177 thru KH-3190 Features Open or Closed Type

Replaces CO

Sizes Available 1-37/18

(1) Ductile Iron Housings Standard for Increased Strength NOTE: Items in Bold Print are New since 1989



Normal or high temperature seals available

[&]quot; SAOD, SAODD units have dust seal collars





Series

KH-4001 thru KH-4013

Features

Open or Closed Type

Replaces MC

Sizes Available

1-37/10

STANDARD DUTY MOUNTED UNITS

SINGLE PILLOW BLOCKS

LOW BASE TO CENTER HEIGHT

Series	Features	Replaces	Sizes Available
KH-1301 thru KH-1312 (1)	Wide Inner Ring*	RAK, LAK	5/8 - 2 15/16
KH-4402 thru KH-4408 (1)	Triple Lip Seals	TAK	1 - 2 3/16
KH-4100 thru KH-4108 (1)	Extended Inner Ring	VAK	5/s - 2 3/15
KH-4621 thru KH-4632 (1)	Wide Inner Ring**	YAK	5/a - 2 3/16

[&]quot;Normal or high temperature seals available
"With Set Screw Lock







HIGH BASE TO CENTER HEIGHT

Series	Features	Replaces	Sizes Available
KH-1321 thru KH-1331 (1)	Wide Inner Ring*	RAS, LAS	5/8 - 2 15/16
KH-4207 thru KH-4213 (1)	Triple Lip Seals	TAS	1-23/16
KH-4100 thru KH-4117 (1)	Extended Inner Ring	VAS	5/8 - 2 3/16
KH-4641 thru KH-4651 (1)	Wide Inner Ring**	YAS	5/a - 2 15/16
KH-4139 thru KH-4147 (1)	Extended Inner Ring**	SAS	5/a - 2 3/ss
* Normal or high temperature seeks out			

^{*} Normal or high temperature seals available ** With Set Screw Lock

SPECIAL BASE TO CENTER HEIGHT

Series	Features	Replaces	Sizes Available
KH-1361 thru KH-1372 (1)	Wide Inner Ring*	RSA, LSA	1/2 - 2 15/16
KH-3028 thru KH-3043	Wide Inner Ring**	SA, SAD, SADD	1 1/16-4 7/16
KH-1343 thru KH-1352	Fixed or Float*	RAKH, RAKHL, LAKH, LAKHL	1-2 15/16
KH-4240 thru KH-4253 (1)	Universal Style***	SAL	1 3/16 - 3 7/16

^{*} Normal or high temperature seals available ** SAD, SADD units have dust seal collars

^{***} Fixed or Float

⁽¹⁾ Ductile Iron Housings Standard for Increased Strength NOTE: Items in Bold Print are New since 1989

DOUBLE PILLOW BLOCKS



Series **Features** KH-4180 thru KH-4185 (1) Double Bearing Unit KH-3075 thru KH-3091 Double Bearing Unit*

* DSADD units have (2) dust seal collars

Replaces DRNR, CC DSA, DSADD

Sizes Available 15/16 - 2 3/16

1/2-3 15/16

FLANGE UNITS

	BO	

Series	Features	Replaces	Sizes Available
KH-1202 thru KH-1209 (1)	Wide Inner Ring*	RCJT, LCJT	3/4 - 2 3/16
KH-4232 thru KH-4238 (1)	Triple Lip Seals	TCJT	1 - 2 3/16
KH-4130 thru KH-4137 (1)	Extended Inner Ring	VCJT	3/4 - 2 3/16
KH-4681 thru KH-4689 (1)	Wide Inner Ring**	YCJT	1/2-2 15/16
KH-4159 thru KH-4167	Extended Inner Ring**	SCJT	3/4 - 2 3/16
KH-4262 thru KH-4265 (1)	Compact Design***	FLCT	3/4 - 1 7/16

^{*} Normal or high temperature seals available

FOUR BOLT

Series	Features	Replaces	Sizes Available
KH-1101 thru KH-1112 (1)	Wide Inner Ring	RCJ, LCJ	1/2-2 15/16
KH-4219 thru KH-4225 (1)	Triple Lip Seals	TCJ	1 - 2 3/16
KH-4119 thru KH-4127 (1)	Extended Inner Ring	VCJ	1 - 2 3/16
KH-4661 thru KH-4672 (1)		YCJ	1/2 - 2 3/16
KH-4149 thru KH-4157	Extended Inner Ring**	SCJ	1/2-23/16
KH-4170 thru KH-4178	Piloted	RFC	7/8-2 15/16
EU-1 thru EU-2	Ductile Iron	GRFD, GRFDR, GVFD, GVFDR	1 15/16









[&]quot;" With Set Screw Lock
"" Extended Inner Ring



CYLINDRICAL CARTRIDGES



Series KH-4024 thru KH-4034 (1)

Features Wide Inner Ring* Open or Closed Type Replaces RC, LC C

Sizes Available 1/2 - 27/16 27/16-37/16

KH-4034 thru KH-4039

* Normal or high temperature seals available

TAKE-UP UNITS

Series

Features

KH-4190 thru KH-4189 (1) Wide Inner Ring KH-4422 thru KH-4428 (1) Triple Lip Seals

KH-4602 thru KH-4609 (1) Extended Inner Ring

Replaces RTU, LTU*

TTU VTU

Normal or high temperature seals available

Sizes Available

3/4 - 2 15/16

1-23/18 3/4 - 2 3/16

OTHER UNITS

ECCENTRIC UNITS

Series

KH-3000 thru KH-3018

Features

Off Center Base for Shaking and Vibrating Motion

Replaces Eccentric Units

Sizes Available 1-21/4

LINESHAFT OR HANGER BOXES



Series


KH-3151 thru KH-3162 KH-3126 thru KH-3133 **Features**

Double Bearing Unit Single Bearing Unit

Replaces

Sizes Available 1 1/8-37/10 3/4-23/16







MEDIUM DUTY MOUNTED UNITS

New Housed Unit Series to be introduced in late 1994. Check with Ketchie-Houston for availability.

PILLOW BLOCKS



Features Wide Inner Ring



SealMaster - MP

Sizes Available

15/16 - 4"

FLANGE UNITS

TWO BOLT

Series KH-4481 thru KH-4486 **Features** Wide Inner Ring* Replaces SealMaster - MFST Sizes Available 15/18-2"



FOUR BOLT

Series KH-4501 thru KH-4514 KH-4521 thru KH-4532

* With Set Screw Lock



Replaces SealMaster - MSF SealMaster - MFC



Sizes Available 15/10-4 15/10 15/16 - 4"



CYLINDRICAL CARTRIDGES

Series

KH-4541 thru KH-4553 ' With Set Screw Lock

Features Wide Inner Ring*

Features

Piloted

Wide Inner Ring*

Replaces SealMaster - MSC

Sizes Available 15/16-4"

TAKE-UP UNITS

Series KH-4561 thru KH-4572 * With Set Screw Lock

Features Wide Inner Ring* Replaces SealMaster - MST



Sizes Available 15/16-4"

SPECIAL APPLICATION UNITS

Ketchie-Houston, Inc. has designed many special application ball and roller bearing mounted units for various types of equipment. Typical housing configurations along with shaft sizes available are listed below for your benefit.

If you have a requirement for a special application unit, please contact Ketchie-Houston.



Available in 1 1/7 to 2 1/4" Shafts



Available in 1" to 1 %e" Shafts



Available in 17/n° to 27/n° Shafts



Available in %7 , 1", 1 %6" Shaft



Available in 1 7/n² - 2 9/n² Shaft



Available in 17/16" Shaft



Available in 1" to 1 3/11" Shaft



Available in 1 1/4" to 1 1/4" Shaft



Available in 1 1/4" to 1 1/4" Shaft



Available in 1 %" to 1 %" Shaft



Available in %" to 1 7/4" Shaft



Available in1 1/1/2 Shaft

EXTERNAL SELF ALIGNING RING BEARINGS

RADIAL BALL BEARINGS with Self Aligning Rings



Series Light 200S Medium 300S* ' Greater load capacity Features Single Row Radial Ball Single Row Radial Ball Replaces 200S 300S

Sizes Available 17 mm - 75 mm 40 mm - 80 mm

WIDE INNER RING BEARINGS with Self Aligning Rings



STANDARD DUTY

Series GSWE-CCSR SWE-CSR SWE-CSR SWE-SR Features Relubricateable w/Two Seals

Non-Relubricateable w/ Two Seals Non-Relubricateable w/ One Seal

Open Type



Replaces G-KRRS KRRS KRS SM-KS

Sizes Available

3/4" - 2 15/16

3/4" - 2 15/16

3/4" - 2 15/16

1" - 3 7/16



HEAVY DUTY

Series HWE-SR Features Open Type Replaces SMN-KS Sizes Available 1 3/16 - 3 15/16

HEAVY DUTY INSERT BEARINGS



Series GHWE-CCS GHWE-HHS Features Normal Temperature Seals High Temperature Seals

Replaces GN-KKRB GN-KLLB Sizes Available 1 3/16 - 3 15/16

1 3/16 - 3 15/16

MACHINE UNITS



Series SWE-MUS SWE-MU HWE-MUS HWE-MU Features
Standard Duty Spherical Outer Ring
Standard Duty Cylindrical Outer Ring
Heavy Duty Spherical Outer Ring
Heavy Duty Cylindrical Outer Ring

Replaces MUB MUA MUOB MUOA Sizes Available 5/6 - 4 7/16 5/6 - 3 15/16 5/8 - 3 15/16 1 3/8 - 3 15/16

KETCHIE-HOUSTON NUMBERING SYSTEM FOR INSERTS

Prefixes

G = Re-lubricatable Bearing

SWE = Standard Duty, Wide Inner Ring, Eccentric Locking Collar

SWS = Standard Duty, Wide Inner Ring, Set Screw Lock

SEE = Standard Duty, Extended Inner Ring, Eccentric Locking Collar

SES = Standard Duty, Extended Inner Ring, Set Screw Lock
MWS = Medium Duty, Wide Inner Ring, Set Screw Lock

HWE = Heavy Duty, Wide Inner Ring, Eccentric Locking Collar

HWS = Heavy Duty, Wide Inner Ring, Set Screw Lock

Numbers

First Digit = number of full inches of bore diameter

Last two Digits = number of 16ths of an inch of bore diameter

or

Two digit number = bore diameter in millimeters

Suffixes

C = A Single Normal Operating Temperature Seal

CC = Two Normal Operating Temperature Seals

H = A Single High Temperature SealHH = Two High Temperature Seals

T = A Single Triple SealΠ = Two Triple Lip Seals

MU = Machine Unit

\$ = Spherical Outer Ring O.D.

SR = An Alignment Ring Mounted on the Bearing
 W = Snap wire mounted on the O.D. of the bearing

1,2,3,etc = Special feature or combination of features to a standard bearing

Examples:

r P/N	Ketchie-Houston P/N
Fafnir	GSWE107CCS
Fafnir	GHWE107HHS
INA	GSWE35CCS
Fafnir	HWE107SR
Fafnir	HWE107MU
Fafnir	HWE107MUS
Federal-Mogul	GSWE107TTS
Sealmaster	GMWS107CCS
	Fafnir Fafnir INA Fafnir Fafnir Fafnir Federal-Mogul